



Railway Industry Supplier
Qualification Scheme



Certificate of Audit

This is to certify that

Supplier Name

Cleshar Contract Services Ltd

Supplier Number

3505

is now qualified by Audit on RISQS

Audit Expiry: 23/09/2022

A handwritten signature in black ink that reads 'G. Scott'.

RISQS Scheme Manager



Modules Covered

Construction Design and Management Comply, Core, Safe Work Planning, Sentinel

Supplier ID: 3505

Supplier Name: Cleshar Contract Services Ltd

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
A.A.1.2N	Temporary Labour (Electrification) Service	✓
A.A.1.5N	Temporary Labour (Track) Service	✓
A.A.1.6N	Temporary Labour (Civils) Service	✓
A.A.1.7N	Temporary Labour (Building Works) Service	✓
B.C.1.11.4X	Signalling Cable Install	✓
C.B.1.1Q	Plain Line Design	✓
C.B.1.1T	Plain Line Commission	✓
C.B.1.1U	Plain Line Dispose	✓
C.B.1.1V	Plain Line Maintain	✓
C.B.1.1W	Plain Line Overhaul	✓
C.B.1.1X	Plain Line Install	✓
C.B.1.1Y	Plain Line Modify	✓
C.B.1.1Z	Plain Line Decommission	✓
C.B.1.2Q	Plain Line (Absolute Geometry) Design	✓
C.B.1.2T	Plain Line (Absolute Geometry) Commission	✓
C.B.1.2U	Plain Line (Absolute Geometry) Dispose	✓
C.B.1.2V	Plain Line (Absolute Geometry) Maintain	✓
C.B.1.2W	Plain Line (Absolute Geometry) Overhaul	✓
C.B.1.2X	Plain Line (Absolute Geometry) Install	✓
C.B.1.2Y	Plain Line (Absolute Geometry) Modify	✓
C.B.1.2Z	Plain Line (Absolute Geometry) Decommission	✓
C.B.1.3Q	Gauge Measurement (Discreet Restrictions) Design	✓
C.B.1.3T	Gauge Measurement (Discreet Restrictions) Commission	✓
C.B.1.3U	Gauge Measurement (Discreet Restrictions) Dispose	✓
C.B.1.3V	Gauge Measurement (Discreet Restrictions) Maintain	✓
C.B.1.3W	Gauge Measurement (Discreet Restrictions) Overhaul	✓
C.B.1.3X	Gauge Measurement (Discreet Restrictions) Install	✓
C.B.1.3Y	Gauge Measurement (Discreet Restrictions) Modify	✓
C.B.1.3Z	Gauge Measurement (Discreet Restrictions) Decommission	✓
C.B.1.4Q	Gauge Measurement (Tunnels) Design	✓
C.B.1.4T	Gauge Measurement (Tunnels) Commission	✓
C.B.1.4U	Gauge Measurement (Tunnels) Dispose	✓
C.B.1.4V	Gauge Measurement (Tunnels) Maintain	✓
C.B.1.4W	Gauge Measurement (Tunnels) Overhaul	✓
C.B.1.4X	Gauge Measurement (Tunnels) Install	✓
C.B.1.4Y	Gauge Measurement (Tunnels) Modify	✓
C.B.1.4Z	Gauge Measurement (Tunnels) Decommission	✓
C.B.1.5Q	Track on Longitudinal Timbers Design	✓
C.B.1.5T	Track on Longitudinal Timbers Commission	✓
C.B.1.5U	Track on Longitudinal Timbers Dispose	✓
C.B.1.5V	Track on Longitudinal Timbers Maintain	✓
C.B.1.5W	Track on Longitudinal Timbers Overhaul	✓
C.B.1.5X	Track on Longitudinal Timbers Install	✓
C.B.1.5Y	Track on Longitudinal Timbers Modify	✓
C.B.1.5Z	Track on Longitudinal Timbers Decommission	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.B.1.6Q	Direct Fastening Track Systems (e.g. Slab Track/Viper) Design	✓
C.B.1.6T	Direct Fastening Track Systems (e.g. Slab Track/Viper) Commission	✓
C.B.1.6U	Direct Fastening Track Systems (e.g. Slab Track/Viper) Dispose	✓
C.B.1.6V	Direct Fastening Track Systems (e.g. Slab Track/Viper) Maintain	✓
C.B.1.6W	Direct Fastening Track Systems (e.g. Slab Track/Viper) Overhaul	✓
C.B.1.6X	Direct Fastening Track Systems (e.g. Slab Track/Viper) Install	✓
C.B.1.6Y	Direct Fastening Track Systems (e.g. Slab Track/Viper) Modify	✓
C.B.1.6Z	Direct Fastening Track Systems (e.g. Slab Track/Viper) Decommission	✓
C.B.2.1Q	Switches & Crossings Conventional Design	✓
C.B.2.1T	Switches & Crossings Conventional Commission	✓
C.B.2.1U	Switches & Crossings Conventional Dispose	✓
C.B.2.1V	Switches & Crossings Conventional Maintain	✓
C.B.2.1W	Switches & Crossings Conventional Overhaul	✓
C.B.2.1X	Switches & Crossings Conventional Install	✓
C.B.2.1Y	Switches & Crossings Conventional Modify	✓
C.B.2.1Z	Switches & Crossings Conventional Decommission	✓
C.B.2.2Q	Switches & Crossings (Absolute Geometry) Design	✓
C.B.2.2T	Switches & Crossings (Absolute Geometry) Commission	✓
C.B.2.2U	Switches & Crossings (Absolute Geometry) Dispose	✓
C.B.2.2V	Switches & Crossings (Absolute Geometry) Maintain	✓
C.B.2.2W	Switches & Crossings (Absolute Geometry) Overhaul	✓
C.B.2.2X	Switches & Crossings (Absolute Geometry) Install	✓
C.B.2.2Y	Switches & Crossings (Absolute Geometry) Modify	✓
C.B.2.2Z	Switches & Crossings (Absolute Geometry) Decommission	✓
C.B.2.3Q	Switches & Crossings (Modular Systems) Design	✓
C.B.2.3T	Switches & Crossings (Modular Systems) Commission	✓
C.B.2.3U	Switches & Crossings (Modular Systems) Dispose	✓
C.B.2.3V	Switches & Crossings (Modular Systems) Maintain	✓
C.B.2.3W	Switches & Crossings (Modular Systems) Overhaul	✓
C.B.2.3X	Switches & Crossings (Modular Systems) Install	✓
C.B.2.3Y	Switches & Crossings (Modular Systems) Modify	✓
C.B.2.3Z	Switches & Crossings (Modular Systems) Decommission	✓
C.B.3Q	Track Drainage Design	✓
C.B.3T	Track Drainage Commission	✓
C.B.3U	Track Drainage Dispose	✓
C.B.3V	Track Drainage Maintain	✓
C.B.3X	Track Drainage Install	✓
C.B.3Y	Track Drainage Modify	✓
C.B.3Z	Track Drainage Decommission	✓
C.C.1.1.1Q	Timber Structures Design	✓
C.C.1.1.1U	Timber Structures Dispose	✓
C.C.1.1.1V	Timber Structures Maintain	✓
C.C.1.1.1X	Timber Structures Install	✓
C.C.1.1.1Y	Timber Structures Modify	✓
C.C.1.1.2Q	Metallic Structures (Including Cast Iron) & Steel Fabrication Design	✓
C.C.1.1.2U	Metallic Structures (Including Cast Iron) & Steel Fabrication Dispose	✓
C.C.1.1.2V	Metallic Structures (Including Cast Iron) & Steel Fabrication Maintain	✓
C.C.1.1.2X	Metallic Structures (Including Cast Iron) & Steel Fabrication Install	✓
C.C.1.1.2Y	Metallic Structures (Including Cast Iron) & Steel Fabrication Modify	✓
C.C.1.1.3Q	Masonry Structures (Including Brickwork) Design	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.C.1.1.3U	Masonry Structures (Including Brickwork) Dispose	✓
C.C.1.1.3V	Masonry Structures (Including Brickwork) Maintain	✓
C.C.1.1.3X	Masonry Structures (Including Brickwork) Install	✓
C.C.1.1.3Y	Masonry Structures (Including Brickwork) Modify	✓
C.C.1.1.4Q	Reinforced Concrete Structures Design	✓
C.C.1.1.4U	Reinforced Concrete Structures Dispose	✓
C.C.1.1.4V	Reinforced Concrete Structures Maintain	✓
C.C.1.1.4X	Reinforced Concrete Structures Install	✓
C.C.1.1.4Y	Reinforced Concrete Structures Modify	✓
C.C.1.1.5Q	Fibre Reinforced Polymer (FRP) Strengthening & Renewal Design	✓
C.C.1.1.5U	Fibre Reinforced Polymer (FRP) Strengthening & Renewal Dispose	✓
C.C.1.1.5V	Fibre Reinforced Polymer (FRP) Strengthening & Renewal Maintain	✓
C.C.1.1.5X	Fibre Reinforced Polymer (FRP) Strengthening & Renewal Install	✓
C.C.1.1.5Y	Fibre Reinforced Polymer (FRP) Strengthening & Renewal Modify	✓
C.C.1.1.6Q	Pre-cast Concrete Structures & Pre-stressed Concrete Structures Design	✓
C.C.1.1.6U	Pre-cast Concrete Structures & Pre-stressed Concrete Structures Dispose	✓
C.C.1.1.6V	Pre-cast Concrete Structures & Pre-stressed Concrete Structures Maintain	✓
C.C.1.1.6X	Pre-cast Concrete Structures & Pre-stressed Concrete Structures Install	✓
C.C.1.1.6Y	Pre-cast Concrete Structures & Pre-stressed Concrete Structures Modify	✓
C.C.1.2.1V	Tunnels Maintain	✓
C.C.1.2.2V	Tunnel Linings Maintain	✓
C.C.1.2.3Q	Tunnel Drainage Design	✓
C.C.1.2.3U	Tunnel Drainage Dispose	✓
C.C.1.2.3V	Tunnel Drainage Maintain	✓
C.C.1.2.3X	Tunnel Drainage Install	✓
C.C.1.2.3Y	Tunnel Drainage Modify	✓
C.C.1.3.1Q	Metallic Structures Design	✓
C.C.1.3.1U	Metallic Structures Dispose	✓
C.C.1.3.1V	Metallic Structures Maintain	✓
C.C.1.3.1X	Metallic Structures Install	✓
C.C.1.3.1Y	Metallic Structures Modify	✓
C.C.1.3.2Q	Masonry Structures (Including Brickwork) Design	✓
C.C.1.3.2U	Masonry Structures (Including Brickwork) Dispose	✓
C.C.1.3.2V	Masonry Structures (Including Brickwork) Maintain	✓
C.C.1.3.2X	Masonry Structures (Including Brickwork) Install	✓
C.C.1.3.2Y	Masonry Structures (Including Brickwork) Modify	✓
C.C.1.3.3Q	Reinforced Concrete Structures Design	✓
C.C.1.3.3U	Reinforced Concrete Structures Dispose	✓
C.C.1.3.3V	Reinforced Concrete Structures Maintain	✓
C.C.1.3.3X	Reinforced Concrete Structures Install	✓
C.C.1.3.3Y	Reinforced Concrete Structures Modify	✓
C.C.1.3.4Q	Concrete-encased Plastic Pipes Design	✓
C.C.1.3.4U	Concrete-encased Plastic Pipes Dispose	✓
C.C.1.3.4V	Concrete-encased Plastic Pipes Maintain	✓
C.C.1.3.4X	Concrete-encased Plastic Pipes Install	✓
C.C.1.3.4Y	Concrete-encased Plastic Pipes Modify	✓
C.C.2.3Q	Straight Posts Design	✓
C.C.2.3U	Straight Posts Dispose	✓
C.C.2.3V	Straight Posts Maintain	✓
C.C.2.3X	Straight Posts Install	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.C.2.3Y	Straight Posts Modify	✓
C.C.2.4Q	Equipment Foundations Design	✓
C.C.2.4U	Equipment Foundations Dispose	✓
C.C.2.4V	Equipment Foundations Maintain	✓
C.C.2.4X	Equipment Foundations Install	✓
C.C.2.4Y	Equipment Foundations Modify	✓
C.C.3.2.2N	Scaffolding Service	✓
C.C.3.2.13N	Protective Treatments (Including Painting) Service	✓
C.C.3.2.15Q	Scour Protection Design	✓
C.C.3.2.15U	Scour Protection Dispose	✓
C.C.3.2.15V	Scour Protection Maintain	✓
C.C.3.2.15X	Scour Protection Install	✓
C.C.3.2.15Y	Scour Protection Modify	✓
C.C.3.2.17Q	Specialist Access (Platforms etc.) Design	✓
C.C.3.2.17T	Specialist Access (Platforms etc.) Commission	✓
C.C.3.2.17U	Specialist Access (Platforms etc.) Dispose	✓
C.C.3.2.17V	Specialist Access (Platforms etc.) Maintain	✓
C.C.3.2.17X	Specialist Access (Platforms etc.) Install	✓
C.C.3.2.17Y	Specialist Access (Platforms etc.) Modify	✓
C.C.3.2.17Z	Specialist Access (Platforms etc.) Decommission	✓
C.C.3.2.20Q	Surfacing for Level Crossings Design	✓
C.C.3.2.20U	Surfacing for Level Crossings Dispose	✓
C.C.3.2.20V	Surfacing for Level Crossings Maintain	✓
C.C.3.2.20X	Surfacing for Level Crossings Install	✓
C.C.3.2.20Y	Surfacing for Level Crossings Modify	✓
C.C.3.2.20S	Surfacing for Level Crossings Construction	✓
C.C.3.2.23Q	Track Support Concrete (Slab Track) Design	✓
C.C.3.2.23U	Track Support Concrete (Slab Track) Dispose	✓
C.C.3.2.23V	Track Support Concrete (Slab Track) Maintain	✓
C.C.3.2.23X	Track Support Concrete (Slab Track) Install	✓
C.C.3.2.23Y	Track Support Concrete (Slab Track) Modify	✓
A.A.9.1N	Provision of Protection & Warning Staff (not including LOWS) Service	✓
A.A.9.3N	Electrical Isolation Staff (DC Conductors) Service	✓
C.C.3.4.5.1N	Thermic Welding Service	✓
C.C.3.4.5.2N	Arc Welding Service	✓
C.C.3.4.5.3N	Flash Butt Welding Service	✓
C.C.3.4.5.4N	Rail Stressing Service	✓
C.C.3.4.5.5N	Stress Assessment (Verse Testing) Service	✓
C.C.3.4.6.2N	Rail Grinding (Non Train-Borne) Service	✓
C.C.3.4.8.1Q	Earthworks (Embankments, Cuttings etc.) Design	✓
C.C.3.4.8.1U	Earthworks (Embankments, Cuttings etc.) Dispose	✓
C.C.3.4.8.1V	Earthworks (Embankments, Cuttings etc.) Maintain	✓
C.C.3.4.8.1X	Earthworks (Embankments, Cuttings etc.) Install	✓
C.C.3.4.8.1Y	Earthworks (Embankments, Cuttings etc.) Modify	✓
C.C.3.4.8.3.1Q	Masonry Structures Design	✓
C.C.3.4.8.3.1U	Masonry Structures Dispose	✓
C.C.3.4.8.3.1V	Masonry Structures Maintain	✓
C.C.3.4.8.3.1X	Masonry Structures Install	✓
C.C.3.4.8.3.1Y	Masonry Structures Modify	✓
C.C.3.4.8.3.2Q	Concrete Structures (Mass & Reinforced) Design	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.C.3.4.8.3.2U	Concrete Structures (Mass & Reinforced) Dispose	✓
C.C.3.4.8.3.2V	Concrete Structures (Mass & Reinforced) Maintain	✓
C.C.3.4.8.3.2X	Concrete Structures (Mass & Reinforced) Install	✓
C.C.3.4.8.3.2Y	Concrete Structures (Mass & Reinforced) Modify	✓
C.C.3.4.8.3.3Q	Reinforced Earth Structures Design	✓
C.C.3.4.8.3.3U	Reinforced Earth Structures Dispose	✓
C.C.3.4.8.3.3V	Reinforced Earth Structures Maintain	✓
C.C.3.4.8.3.3X	Reinforced Earth Structures Install	✓
C.C.3.4.8.3.3Y	Reinforced Earth Structures Modify	✓
C.C.3.4.8.3.4Q	Gabion Walls Design	✓
C.C.3.4.8.3.4U	Gabion Walls Dispose	✓
C.C.3.4.8.3.4V	Gabion Walls Maintain	✓
C.C.3.4.8.3.4X	Gabion Walls Install	✓
C.C.3.4.8.3.4Y	Gabion Walls Modify	✓
C.C.3.4.8.3.5Q	Sheet Pile Walls Design	✓
C.C.3.4.8.3.5U	Sheet Pile Walls Dispose	✓
C.C.3.4.8.3.5V	Sheet Pile Walls Maintain	✓
C.C.3.4.8.3.5X	Sheet Pile Walls Install	✓
C.C.3.4.8.3.5Y	Sheet Pile Walls Modify	✓
C.C.3.4.8.4Q	Ground Anchors Design	✓
C.C.3.4.8.4T	Ground Anchors Commission	✓
C.C.3.4.8.4U	Ground Anchors Dispose	✓
C.C.3.4.8.4V	Ground Anchors Maintain	✓
C.C.3.4.8.4X	Ground Anchors Install	✓
C.C.3.4.8.4Y	Ground Anchors Modify	✓
C.C.3.4.8.4Z	Ground Anchors Decommission	✓
C.C.3.4.8.5Q	Soil Nailing Design	✓
C.C.3.4.8.5T	Soil Nailing Commission	✓
C.C.3.4.8.5U	Soil Nailing Dispose	✓
C.C.3.4.8.5V	Soil Nailing Maintain	✓
C.C.3.4.8.5X	Soil Nailing Install	✓
C.C.3.4.8.5Y	Soil Nailing Modify	✓
C.C.3.4.8.5Z	Soil Nailing Decommission	✓
C.C.3.4.8.6Q	Earthworks Drainage Design	✓
C.C.3.4.8.6U	Earthworks Drainage Dispose	✓
C.C.3.4.8.6V	Earthworks Drainage Maintain	✓
C.C.3.4.8.6X	Earthworks Drainage Install	✓
C.C.3.4.8.6Y	Earthworks Drainage Modify	✓
C.D.1.1Q	Foundations (Piled) Design	✓
C.D.1.1X	Foundations (Piled) Install	✓
C.D.1.1Y	Foundations (Piled) Modify	✓
C.D.1.2Q	Foundations (Conventional) Design	✓
C.D.1.2X	Foundations (Conventional) Install	✓
C.D.1.2Y	Foundations (Conventional) Modify	✓
C.D.1.3Q	Steel Frame Design	✓
C.D.1.3V	Steel Frame Maintain	✓
C.D.1.3X	Steel Frame Install	✓
C.D.1.3Y	Steel Frame Modify	✓
C.D.1.4Q	Concrete Frame Design	✓
C.D.1.4V	Concrete Frame Maintain	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.D.1.4X	Concrete Frame Install	✓
C.D.1.4Y	Concrete Frame Modify	✓
C.D.1.5Q	Timber Frame Design	✓
C.D.1.5V	Timber Frame Maintain	✓
C.D.1.5X	Timber Frame Install	✓
C.D.1.5Y	Timber Frame Modify	✓
C.D.2.1Q	Roofing Design	✓
C.D.2.1V	Roofing Maintain	✓
C.D.2.1W	Roofing Overhaul	✓
C.D.2.1X	Roofing Install	✓
C.D.2.1Y	Roofing Modify	✓
C.D.2.2Q	Stairs Design	✓
C.D.2.2V	Stairs Maintain	✓
C.D.2.2W	Stairs Overhaul	✓
C.D.2.2X	Stairs Install	✓
C.D.2.2Y	Stairs Modify	✓
C.D.2.3Q	External Walls Design	✓
C.D.2.3V	External Walls Maintain	✓
C.D.2.3W	External Walls Overhaul	✓
C.D.2.3X	External Walls Install	✓
C.D.2.3Y	External Walls Modify	✓
C.D.2.10Q	External Works (Drainage, Including Surface, Foul & Sewerage Treatment)	✓
C.D.2.10V	External Works (Drainage, Including Surface, Foul & Sewerage Treatment)	✓
C.D.2.10W	External Works (Drainage, Including Surface, Foul & Sewerage Treatment)	✓
C.D.2.10X	External Works (Drainage, Including Surface, Foul & Sewerage Treatment)	✓
C.D.2.10Y	External Works (Drainage, Including Surface, Foul & Sewerage Treatment)	✓
C.D.2.11Q	Minor Building Work (Including Ancillary Buildings & Alterations to Existing	✓
C.D.2.11V	Minor Building Work (Including Ancillary Buildings & Alterations to Existing	✓
C.D.2.11W	Minor Building Work (Including Ancillary Buildings & Alterations to Existing	✓
C.D.2.11X	Minor Building Work (Including Ancillary Buildings & Alterations to Existing	✓
C.D.2.11Y	Minor Building Work (Including Ancillary Buildings & Alterations to Existing	✓
C.D.3.4Q	Forced Ventilation Systems Design	✓
C.D.3.4T	Forced Ventilation Systems Commission	✓
C.D.3.4V	Forced Ventilation Systems Maintain	✓
C.D.3.4X	Forced Ventilation Systems Install	✓
C.D.3.4Y	Forced Ventilation Systems Modify	✓
C.D.3.4Z	Forced Ventilation Systems Decommission	✓
C.D.3.5Q	Electrical Installations Design	✓
C.D.3.5T	Electrical Installations Commission	✓
C.D.3.5V	Electrical Installations Maintain	✓
C.D.3.5X	Electrical Installations Install	✓
C.D.3.5Y	Electrical Installations Modify	✓
C.D.3.5Z	Electrical Installations Decommission	✓
C.D.3.6Q	Gas Installations Design	✓
C.D.3.6T	Gas Installations Commission	✓
C.D.3.6V	Gas Installations Maintain	✓
C.D.3.6X	Gas Installations Install	✓
C.D.3.6Y	Gas Installations Modify	✓
C.D.3.6Z	Gas Installations Decommission	✓
C.D.3.7Q	Protective Installations Design	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.D.3.7T	Protective Installations Commission	✓
C.D.3.7V	Protective Installations Maintain	✓
C.D.3.7X	Protective Installations Install	✓
C.D.3.7Y	Protective Installations Modify	✓
C.D.3.7Z	Protective Installations Decommission	✓
C.D.3.9Q	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.3.9T	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.3.9V	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.3.9X	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.3.9Y	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.3.9Z	Special Installations (Including Window Cleaning Cradles, Water Treatment	✓
C.D.4.1Q	Canopies (Stations & Depots) Design	✓
C.D.4.1V	Canopies (Stations & Depots) Maintain	✓
C.D.4.1W	Canopies (Stations & Depots) Overhaul	✓
C.D.4.1X	Canopies (Stations & Depots) Install	✓
C.D.4.1Y	Canopies (Stations & Depots) Modify	✓
C.D.4.2Q	Major Station & Concourse Roofs Design	✓
C.D.4.2V	Major Station & Concourse Roofs Maintain	✓
C.D.4.2W	Major Station & Concourse Roofs Overhaul	✓
C.D.4.2X	Major Station & Concourse Roofs Install	✓
C.D.4.2Y	Major Station & Concourse Roofs Modify	✓
C.D.4.3Q	Specialist Doors & Windows Design	✓
C.D.4.3V	Specialist Doors & Windows Maintain	✓
C.D.4.3X	Specialist Doors & Windows Install	✓
C.D.4.3Y	Specialist Doors & Windows Modify	✓
C.D.4.4Q	Roller Shutters & Security Grills Design	✓
C.D.4.4V	Roller Shutters & Security Grills Maintain	✓
C.D.4.4W	Roller Shutters & Security Grills Overhaul	✓
C.D.4.4X	Roller Shutters & Security Grills Install	✓
C.D.4.4Y	Roller Shutters & Security Grills Modify	✓
C.D.4.5Q	Ticket Barriers Design	✓
C.D.4.5T	Ticket Barriers Commission	✓
C.D.4.5V	Ticket Barriers Maintain	✓
C.D.4.5W	Ticket Barriers Overhaul	✓
C.D.4.5X	Ticket Barriers Install	✓
C.D.4.5Y	Ticket Barriers Modify	✓
C.D.4.5Z	Ticket Barriers Decommission	✓
C.D.6.2V	Escalators Maintain	✓
C.D.6.2X	Escalators Install	✓
C.D.6.2Y	Escalators Modify	✓
C.D.7.1Q	Platforms Including Copers, Paving & Tarmac Design	✓
C.D.7.1U	Platforms Including Copers, Paving & Tarmac Dispose	✓
C.D.7.1V	Platforms Including Copers, Paving & Tarmac Maintain	✓
C.D.7.1X	Platforms Including Copers, Paving & Tarmac Install	✓
C.D.7.1Y	Platforms Including Copers, Paving & Tarmac Modify	✓
C.D.7.2Q	Platform Face Walls Design	✓
C.D.7.2U	Platform Face Walls Dispose	✓
C.D.7.2V	Platform Face Walls Maintain	✓
C.D.7.2X	Platform Face Walls Install	✓
C.D.7.2Y	Platform Face Walls Modify	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
C.D.7.3Q	Modular Platforms Including Trestle Design	✓
C.D.7.3U	Modular Platforms Including Trestle Dispose	✓
C.D.7.3V	Modular Platforms Including Trestle Maintain	✓
C.D.7.3X	Modular Platforms Including Trestle Install	✓
C.D.7.3Y	Modular Platforms Including Trestle Modify	✓
C.D.7.4Q	Raised Walkways Design	✓
C.D.7.4U	Raised Walkways Dispose	✓
C.D.7.4V	Raised Walkways Maintain	✓
C.D.7.4X	Raised Walkways Install	✓
C.D.7.4Y	Raised Walkways Modify	✓
C.D.7.5Q	Authorised Walking Routes & Access Points Design	✓
C.D.7.5U	Authorised Walking Routes & Access Points Dispose	✓
C.D.7.5V	Authorised Walking Routes & Access Points Maintain	✓
C.D.7.5X	Authorised Walking Routes & Access Points Install	✓
C.D.7.5Y	Authorised Walking Routes & Access Points Modify	✓
C.D.7.6Q	Paths & Safe Cess Design	✓
C.D.7.6U	Paths & Safe Cess Dispose	✓
C.D.7.6V	Paths & Safe Cess Maintain	✓
C.D.7.6X	Paths & Safe Cess Install	✓
C.D.7.6Y	Paths & Safe Cess Modify	✓
C.D.8.4Q	User & Footpath Crossing Surfacing Design	✓
C.D.8.4U	User & Footpath Crossing Surfacing Dispose	✓
C.D.8.4V	User & Footpath Crossing Surfacing Maintain	✓
C.D.8.4X	User & Footpath Crossing Surfacing Install	✓
C.D.8.4Y	User & Footpath Crossing Surfacing Modify	✓
D.E.1.1Q	LV Switchgear Design	✓
D.E.1.1T	LV Switchgear Commission	✓
D.E.1.1U	LV Switchgear Dispose	✓
D.E.1.1V	LV Switchgear Maintain	✓
D.E.1.1W	LV Switchgear Overhaul	✓
D.E.1.1X	LV Switchgear Install	✓
D.E.1.1Y	LV Switchgear Modify	✓
D.E.1.1Z	LV Switchgear Decommission	✓
D.E.1.2Q	UPS up to 10 KVA Design	✓
D.E.1.2T	UPS up to 10 KVA Commission	✓
D.E.1.2U	UPS up to 10 KVA Dispose	✓
D.E.1.2V	UPS up to 10 KVA Maintain	✓
D.E.1.2W	UPS up to 10 KVA Overhaul	✓
D.E.1.2X	UPS up to 10 KVA Install	✓
D.E.1.2Y	UPS up to 10 KVA Modify	✓
D.E.1.2Z	UPS up to 10 KVA Decommission	✓
D.E.1.3Q	UPS above 10 KVA Design	✓
D.E.1.3T	UPS above 10 KVA Commission	✓
D.E.1.3U	UPS above 10 KVA Dispose	✓
D.E.1.3V	UPS above 10 KVA Maintain	✓
D.E.1.3W	UPS above 10 KVA Overhaul	✓
D.E.1.3X	UPS above 10 KVA Install	✓
D.E.1.3Y	UPS above 10 KVA Modify	✓
D.E.1.3Z	UPS above 10 KVA Decommission	✓
D.E.1.7Q	LV Distribution Cabling Design	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
D.E.1.7T	LV Distribution Cabling Commission	✓
D.E.1.7U	LV Distribution Cabling Dispose	✓
D.E.1.7V	LV Distribution Cabling Maintain	✓
D.E.1.7X	LV Distribution Cabling Install	✓
D.E.1.7Y	LV Distribution Cabling Modify	✓
D.E.1.7Z	LV Distribution Cabling Decommission	✓
D.E.2.1Q	Substation Switchgear (Including Control & Protection) Design	✓
D.E.2.1T	Substation Switchgear (Including Control & Protection) Commission	✓
D.E.2.1U	Substation Switchgear (Including Control & Protection) Dispose	✓
D.E.2.1V	Substation Switchgear (Including Control & Protection) Maintain	✓
D.E.2.1W	Substation Switchgear (Including Control & Protection) Overhaul	✓
D.E.2.1X	Substation Switchgear (Including Control & Protection) Install	✓
D.E.2.1Y	Substation Switchgear (Including Control & Protection) Modify	✓
D.E.2.1Z	Substation Switchgear (Including Control & Protection) Decommission	✓
D.E.2.2Q	HV Transformers Design	✓
D.E.2.2T	HV Transformers Commission	✓
D.E.2.2U	HV Transformers Dispose	✓
D.E.2.2V	HV Transformers Maintain	✓
D.E.2.2W	HV Transformers Overhaul	✓
D.E.2.2X	HV Transformers Install	✓
D.E.2.2Y	HV Transformers Modify	✓
D.E.2.2Z	HV Transformers Decommission	✓
D.E.2.3Q	HV Cabling Design	✓
D.E.2.3T	HV Cabling Commission	✓
D.E.2.3U	HV Cabling Dispose	✓
D.E.2.3V	HV Cabling Maintain	✓
D.E.2.3X	HV Cabling Install	✓
D.E.2.3Y	HV Cabling Modify	✓
D.E.2.3Z	HV Cabling Decommission	✓
D.E.3.1Q	Lighting Equipment (Including Luminaires & Control Equipment) Design	✓
D.E.3.1T	Lighting Equipment (Including Luminaires & Control Equipment) Commission	✓
D.E.3.1U	Lighting Equipment (Including Luminaires & Control Equipment) Dispose	✓
D.E.3.1V	Lighting Equipment (Including Luminaires & Control Equipment) Maintain	✓
D.E.3.1W	Lighting Equipment (Including Luminaires & Control Equipment) Overhaul	✓
D.E.3.1X	Lighting Equipment (Including Luminaires & Control Equipment) Install	✓
D.E.3.1Y	Lighting Equipment (Including Luminaires & Control Equipment) Modify	✓
D.E.3.1Z	Lighting Equipment (Including Luminaires & Control Equipment) Decommission	✓
D.E.3.2Q	Lighting Support Equipment (Including Winch Mechanisms) Design	✓
D.E.3.2T	Lighting Support Equipment (Including Winch Mechanisms) Commission	✓
D.E.3.2U	Lighting Support Equipment (Including Winch Mechanisms) Dispose	✓
D.E.3.2V	Lighting Support Equipment (Including Winch Mechanisms) Maintain	✓
D.E.3.2W	Lighting Support Equipment (Including Winch Mechanisms) Overhaul	✓
D.E.3.2X	Lighting Support Equipment (Including Winch Mechanisms) Install	✓
D.E.3.2Y	Lighting Support Equipment (Including Winch Mechanisms) Modify	✓
D.E.3.2Z	Lighting Support Equipment (Including Winch Mechanisms) Decommission	✓
D.E.4.2Q	Electric Points Heating Systems Design	✓
D.E.4.2T	Electric Points Heating Systems Commission	✓
D.E.4.2U	Electric Points Heating Systems Dispose	✓
D.E.4.2V	Electric Points Heating Systems Maintain	✓
D.E.4.2W	Electric Points Heating Systems Overhaul	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
D.E.4.2X	Electric Points Heating Systems Install	✓
D.E.4.2Y	Electric Points Heating Systems Modify	✓
D.E.4.2Z	Electric Points Heating Systems Decommission	✓
D.E.4.3Q	Conductor Rail Heating Systems Design	✓
D.E.4.3T	Conductor Rail Heating Systems Commission	✓
D.E.4.3U	Conductor Rail Heating Systems Dispose	✓
D.E.4.3V	Conductor Rail Heating Systems Maintain	✓
D.E.4.3W	Conductor Rail Heating Systems Overhaul	✓
D.E.4.3X	Conductor Rail Heating Systems Install	✓
D.E.4.3Y	Conductor Rail Heating Systems Modify	✓
D.E.4.3Z	Conductor Rail Heating Systems Decommission	✓
D.F.7Q	Shore Supplies & Battery Chargers Design	✓
D.F.7T	Shore Supplies & Battery Chargers Commission	✓
D.F.7U	Shore Supplies & Battery Chargers Dispose	✓
D.F.7V	Shore Supplies & Battery Chargers Maintain	✓
D.F.7W	Shore Supplies & Battery Chargers Overhaul	✓
D.F.7X	Shore Supplies & Battery Chargers Install	✓
D.F.7Y	Shore Supplies & Battery Chargers Modify	✓
D.F.7Z	Shore Supplies & Battery Chargers Decommission	✓
D.F.10Q	Depot Personnel Protection Systems Design	✓
D.F.10T	Depot Personnel Protection Systems Commission	✓
D.F.10U	Depot Personnel Protection Systems Dispose	✓
D.F.10V	Depot Personnel Protection Systems Maintain	✓
D.F.10W	Depot Personnel Protection Systems Overhaul	✓
D.F.10X	Depot Personnel Protection Systems Install	✓
D.F.10Y	Depot Personnel Protection Systems Modify	✓
D.F.10Z	Depot Personnel Protection Systems Decommission	✓
F.C.1.3Q	Foundations Design	✓
F.C.1.3U	Foundations Dispose	✓
F.C.1.3V	Foundations Maintain	✓
F.C.1.3X	Foundations Install	✓
F.C.1.3Y	Foundations Modify	✓
F.C.2.1Q	ETE Conductor Rail & Associated Cabling Design	✓
F.C.2.1T	ETE Conductor Rail & Associated Cabling Commission	✓
F.C.2.1U	ETE Conductor Rail & Associated Cabling Dispose	✓
F.C.2.1V	ETE Conductor Rail & Associated Cabling Maintain	✓
F.C.2.1W	ETE Conductor Rail & Associated Cabling Overhaul	✓
F.C.2.1X	ETE Conductor Rail & Associated Cabling Install	✓
F.C.2.1Y	ETE Conductor Rail & Associated Cabling Modify	✓
F.C.2.1Z	ETE Conductor Rail & Associated Cabling Decommission	✓
F.C.2.2Q	Depot Conductor Systems Design	✓
F.C.2.2T	Depot Conductor Systems Commission	✓
F.C.2.2U	Depot Conductor Systems Dispose	✓
F.C.2.2V	Depot Conductor Systems Maintain	✓
F.C.2.2W	Depot Conductor Systems Overhaul	✓
F.C.2.2X	Depot Conductor Systems Install	✓
F.C.2.2Y	Depot Conductor Systems Modify	✓
F.C.2.2Z	Depot Conductor Systems Decommission	✓
F.C.2.3Q	ETE Negative Bonding Design	✓
F.C.2.3T	ETE Negative Bonding Commission	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
F.C.2.3U	ETE Negative Bonding Dispose	✓
F.C.2.3V	ETE Negative Bonding Maintain	✓
F.C.2.3X	ETE Negative Bonding Install	✓
F.C.2.3Y	ETE Negative Bonding Modify	✓
F.C.2.3Z	ETE Negative Bonding Decommission	✓
F.C.3.1Q	Substations/Switching Stations Design	✓
F.C.3.1T	Substations/Switching Stations Commission	✓
F.C.3.1U	Substations/Switching Stations Dispose	✓
F.C.3.1V	Substations/Switching Stations Maintain	✓
F.C.3.1W	Substations/Switching Stations Overhaul	✓
F.C.3.1X	Substations/Switching Stations Install	✓
F.C.3.1Y	Substations/Switching Stations Modify	✓
F.C.3.1Z	Substations/Switching Stations Decommission	✓
F.C.3.2Q	HV Cabling Design	✓
F.C.3.2T	HV Cabling Commission	✓
F.C.3.2U	HV Cabling Dispose	✓
F.C.3.2V	HV Cabling Maintain	✓
F.C.3.2X	HV Cabling Install	✓
F.C.3.2Y	HV Cabling Modify	✓
F.C.3.2Z	HV Cabling Decommission	✓
F.C.3.3Q	Trackside Equipment Design	✓
F.C.3.3T	Trackside Equipment Commission	✓
F.C.3.3U	Trackside Equipment Dispose	✓
F.C.3.3V	Trackside Equipment Maintain	✓
F.C.3.3W	Trackside Equipment Overhaul	✓
F.C.3.3X	Trackside Equipment Install	✓
F.C.3.3Y	Trackside Equipment Modify	✓
F.C.3.3Z	Trackside Equipment Decommission	✓
F.C.4.1Q	Substations/Switching Stations/Track Paralleling Huts Design	✓
F.C.4.1T	Substations/Switching Stations/Track Paralleling Huts Commission	✓
F.C.4.1U	Substations/Switching Stations/Track Paralleling Huts Dispose	✓
F.C.4.1V	Substations/Switching Stations/Track Paralleling Huts Maintain	✓
F.C.4.1W	Substations/Switching Stations/Track Paralleling Huts Overhaul	✓
F.C.4.1X	Substations/Switching Stations/Track Paralleling Huts Install	✓
F.C.4.1Y	Substations/Switching Stations/Track Paralleling Huts Modify	✓
F.C.4.1Z	Substations/Switching Stations/Track Paralleling Huts Decommission	✓
F.C.4.2Q	DC Cabling Design	✓
F.C.4.2T	DC Cabling Commission	✓
F.C.4.2U	DC Cabling Dispose	✓
F.C.4.2V	DC Cabling Maintain	✓
F.C.4.2X	DC Cabling Install	✓
F.C.4.2Y	DC Cabling Modify	✓
F.C.4.2Z	DC Cabling Decommission	✓
F.C.4.3Q	Trackside Equipment Design	✓
F.C.4.3T	Trackside Equipment Commission	✓
F.C.4.3U	Trackside Equipment Dispose	✓
F.C.4.3V	Trackside Equipment Maintain	✓
F.C.4.3W	Trackside Equipment Overhaul	✓
F.C.4.3X	Trackside Equipment Install	✓
F.C.4.3Y	Trackside Equipment Modify	✓

<u>Product Code</u>	<u>Product Name</u>	<u>Result</u>
F.C.4.3Z	Trackside Equipment Decommission	✓
C.C.3.4.2.7N	Safe System of Work Planning Service	✓
C.B.4.2N	Troughing Services Service	✓